Author Index, Volume 11

Able, K. W., 83
Albert, R. C., 99
Anderson, W. W., 96
Auble, G. T., 213

Beatty, H. R., 29
Bierbaum, R., 264
Briseño-Dueñas, R., 51
Brody, M. S., 87
Broome, S. W., 272
Brown, C. J., 96
Buchanan, B. A., 231
Burbank, W. D., 96

Caffrey, J. M., 184
Callaway, R. J., 217
Chao, N. L., 77
Churchill, A. C., 180
Copeland, B. J., 286
Craft, C. B., 272

Day, J. W., Jr., 1, 51
DeAlteris, J. T., 240
Denes, T. A., 184
Diaz, R. J., 68
Ditsworth, G. R., 217

Fahay, M. P., 83
Felley, J. D., 75
Ferdelman, T., 281
Fletcher, M., 226
Flores-Verdugo, F. J., 51
Forward, R. B., Jr., 79
Franz, D. R., 15
Friedland, K. D., 45

Gaston, G. R., 192, 201

Haas, L. W., 45
Hale, R. C., 255
Harris, W. H., 15
Heck, K. L., Jr., 83
Hobbs, C. H., III, 75
Huggett, D. V., 134

Kirby-Smith, W., 79
Kjerfve, B., 10

Lee, D. L., 192
Luckenbach, M. W., 134
Luther, G. W., III, 281

Madden, C. J., 1
McElroy, A. E., 73
McKee, K. L., 143
Mee, L., 51

Nasci, J. C., 192, 201

Patrick, W. H., Jr., 143
Perkins, F., 286
Perry, M. C., 57

Queen, W. H., 286

Roman, C. T., 83

Schaffner, L. C., 68
Seneca, E. D., 272
Shumway, S. E., 264
Soniat, T. M., 87
Specht, D. T., 217
Spurrier, J. D., 10
Stephens, J. A., 108
Stoner, A. W., 231
Stuckey, I. H., 76

Takacs, R. L., 79
Teague, K. G., 1
Tennenbaum, S., 74
Tsamakis, E., 281

Uhler, F. M., 57
Uncles, R. J., 108

Wenner, E. L., 29
Whitfield, A. K., 152, 160
Whitlatch, R. B., 117
Wigand, C., 180
Woodrow, T. Y., 108

Ye, L., 250

Zajac, R. N., 117
Zobrist, E. C., 134

© 1988 Estuarine Research Foundation

0160-8347/88/040289-01$01.50/0

Estuaries Vol. 11, No. 4, p. 290–291 December 1988

Subject Index, Volume 11

abatement history, 99
age structure, 117
alachlor, 79
Alligator Harbor, Florida (east), 143
Alligator Harbor, Florida (west), 143
Ampelisca abdita, 15
amphipod, 29
anaerobic oxidation, 281
aquatic bacteria, 226
Argyrosomus hololepidotus, 160
Aricidea jeffreysii, 15
Asabellides oculata, 15
Atchafalaya River, Louisiana, 1, 184
Atlantic Coast, 143
Atlantic menhaden, 45
attachment, 226
Aythya valisineria, 57

Balanus improvisus, 29
Barnstable, Massachusetts, 143
Bayou D'Inde, 201
Ben Sawyer Bridge, South Carolina, 143
benthic, 117
benthic communities, 192, 201
bioaccumulation, 255
biogenic sediments, 240
biotic modifications, 134
bisulfide, 281
blue crabs, 68, 231, 255
bottom waters, 281
Brevoortia tyrannus, 45
Buzzards Bay, 117

Caffrogobius multifasciatus, 160
Caffrogobius nudiceps, 160
Calcasieu Estuary, Louisiana, 192, 201
Calcasieu Lake, Louisiana, 192, 201
Callinectes, 231
Callinectes bocourti, 231
Callinectes exasperatus, 231
Callinectes larvatus, 231
Callinectes ornatus, 231
Callinectes sapidus, 68, 231, 255
Camden, 99
Cameron, Louisiana, 192
canvasbacks, 57
Cape Cod, Massachusetts, 83
Capitella capitata, 15, 29, 192, 201
carnivores, 192, 201
Cedar Key, Florida, 143
Cerapus benthophilus, 192
Chesapeake Bay, Maryland, 57, 68, 134, 143, 255, 281
Choupique Bayou, Louisiana, 201
Chromobacterium, 226
circulation, 184, 217
Clinus superciliosus, 160
cluster, 29
cluster analyses, 15
coastal lagoon, 51
Cold Spring Harbor, New York, 143
colonization, 226
community structure, 192
contaminant transport, 108
Contraband Bayou, Louisiana, 201
cordgrass, 143
Corophium lacustre, 29, 192, 201
Corophium louisianum, 192, 201
Corophium tuberculatum, 15
Cove Inlet, South Carolina, 143
Crangon septemspinosus, 15
Crassostrea virginica, 29, 87
Crepidula convexa, 15
Crepidula fornicata, 15
Crepidula plana, 15
Cyathura, 96
Cyathura polita, 96

Davis Bay, Mississippi, 143
Delaware estuary, 99
Delaware River Basin Commission, 99
denitrification, 1
deposit feeding, 134, 192, 201
deposition, 152
desorption, 217
detrital food chain, 160
detritivores, 192, 201
Diplodus sargus, 160
disposal, 117
dissolved oxygen, 99
disturbance, 117
Doridella obscura, 15

Edotea trilobata, 192
eelgrass meadows, 180
eelgrass seed, 180
effects of dredge disposal, 117
Elasmopus laevis, 15
electrolytes, 226
Ensis directus, 15
enzyme loci, 96
Erichthonius brasiliensis, 15
Eteone lactea, 15
Eumida sanguinea, 15

fecundity, 117
feeding groups, 192, 201
Fernadina Beach, Florida, 143
fish community, 160
fisheries improvement, 99
flume design, 10
flux, 1, 10
food habits, 57
fouling, 226
Fourleague Bay, Louisiana, 184
functional feeding groups, 192, 201

Galeichthys feliceps, 160
Galveston, Texas, 87
gel electrophoresis, 96
Gemma gemma, 15
genetic transition, 96
geomorphic development, 240
Gilchristella aestuaria, 160
Glycera capitata, 15
Glycinde solitaria, 192
grain size selection, 134
growth, 117
Gulf Coast, 143
Gulf of Mexico, 184
gut contents, 134

habitat suitability index, 87
Hainan Island, China, 250
Hargeria rapax, 192, 201
Hepsetia breviceps, 160
herbicide, 79
herbivorous fishes, 160
Heteromastus filiformis, 15
Heteromysis formosa, 15
Hobsonia florida, 29, 192, 201
Homarus americanus, 83
hydrobiid gastropods, 29
hydrogen sulfide, 281
hypoxia, 201

Ilyanassa obsoleta, 15, 180
impoundments, 29
infaunal, 117
infaunal population dynamics, 117
isopod, 96

Jamaica Bay, New York, 15
James River, Virginia, 240
juvenile lobsters, 83

Kingsley Creek, Florida, 143

Laeonereis culveri, 192, 201
lagoon system, 250
Laguna Joyuda, Puerto Rico, 231
larval development, 79
Lepidonotus squamatus, 15
Lichia amia, 160
linear model, 10
Lithognathus lithognathus, 160
Little Sabine (east), Florida, 143
Little Sabine (west), Florida, 143
Littoridinops monroensis, 29

© 1988 Estuarine Research Federation

0160-8347/88/040290-02$01.50/0

Littorina littorea, 180
Live Oak Point, Florida, 143
Liza dumerilii, 160
Liza richardsonii, 160
Long Island Sound, 117
Long Island, New York, 143
long-term population dynamics, 117
Louisiana, 201
Lyonsia hyalina, 15
Lysianopsis alba, 15

Macoma balthica, 57
Macoma tenta, 15
macroalgal wrack, 152
macrobenthic assemblages, 201
macrobenthic communities, 201
macrobenthos, 15, 29, 192
macrodetrital aggregates, 152
macroorganic matter, 272
macrotidal estuary, 108
mactridae, 192, 201
Madison, Connecticut, 143
manganese, 217
marine bacteria, 226
Mediomastus ambiseta, 15
Mediomastus californiensis, 192, 201
Melita nitida, 15
Membranipora arborescens, 29
Mercenaria mercenaria, 15
mitigation, 272
model, 108
models, 87
Molgula manhattensis, 29
Monodactylus falciformis, 160
mud crab, 79
Mugil cephalus, 160
Mulinia lateralis, 15, 192
mussels, 264
Mya arenaria, 15
Mytilus edulis, 15, 264

naidids, 192, 201
natural marsh soils, 272
nemerteans, 192
Neopanope texana, 15
Nephthys bucera, 15
Nephtys incisa, 117
Nereis succinea, 15, 29
net fluxes, 10
Neuse River, North Carolina, 79
nitrification, 1
nitrogen, 1, 10, 272
nodal analyses, 29
North Carolina coast, 272
North Inlet, South Carolina, 10
numerical sediment model, 108
nutrient exchange, 10
nutrient flux, 1
nutrients, 51, 143, 272

Oligochaeta sp., 15
oligochaeta worms, 29
omnivores, 192, 201
omnivorous fishes, 160
organic carbon, 272
Ovalipes ocellatus, 15, 180
overwintering, 57, 68
oxygen consumption, 264
oxygen uptake, 1
Oxyurostylis smithi, 15
oyster populations, 87
oyster reef, 240

Pagurus longicarpus, 15, 180
Panopeus herbstii, 180
Parandalia fauveli, 192, 201
Paraphoxus spinosus, 15
Paraprionospio pinnata, 134, 192
pea crabs, 264
peat reefs, 83
Pectinaria gouldii, 15
Perkinsus marinus, 87
pesticide, 79
Philadelphia, 99
phosphorus, 1, 272
Phyllodoce arenae, 15
physical disturbance, 143
phytoplankton, 45, 51
Pinnotheres maculatus, 264
plankton, 51
pollution assessment, 117
polychaete, 117
polychaete worms, 29
polychaetes, 192, 201
polycyclic aromatic compounds, 255
Polydora ligni, 15, 192, 201
Polydora socialis, 192, 201
Pomney Marsh, Massachusetts, 143
population, 117
Portland, Maine, 143
Potamogeton perfoliatus, 57
predators, 192, 201
primary production, 51
principal components analyses, 15
Psammogobius knysnaensis, 160
Pseudomonas, 226
public policy, 286
Puerto Rico, 231

Quinglan Estuary, China, 250

radiocarbon, 240
Rangia cuneata, 201
regression estimate, 10
residence time, 217
resource utilization, 160
resuspension, 217
Rhabdosargus holubi, 160
Rhithropanopeus harrisii, 79
river discharge, 184
river flow, 217
Rumstick Cove, Massachusetts, 143
Ruppia maritima, 29, 51, 57

Sabella microphthalma, 15
Sabellaria vulgaris, 15
salinity, 143
salt marsh, 10, 29
Sandy Hook, New Jersey, 143
Sarpa salpa, 160
Scirpus robustus, 29
Scolecolepides viridis, 15
Scoloplus fragilis, 15
seagrass, 51
sediment processes, 1
sediment transport, 108, 134
sediment-water flux, 1
seedling predation, 180
Shell Point, Florida, 143
South Africa, 152, 160
South China coast, 250
Spartina alterniflora, 29, 83, 143
spatial variation, 117
spionid polychaetes, 192, 201
St. Josephs Bay, Florida, 143
St. Marks, Florida, 143
Stenoninereis martini, 29
Stonington, Connecticut, 143
Streblospio benedicti, 15, 29, 192, 201
succession, 117
sulfide measurements, 281
suspended matter, 217
suspension feeding, 192, 201
Swartvlei Estuary, South Africa, 152, 160
Syllis sp., 15
symbionts, 264
Syngnathus acus, 160

Tamar Estuary, 108
Tellina agilis, 15
temperature response, 45
temporal variation, 117
Thais haemostoma, 87
Tharyx acutus, 15
tidal elevations, 143
tidal inlet, 250
tidal transport, 184
tides, 152
total organic carbon, 15
toxic compounds, 255
toxicology, 79
transplanted marsh soils, 272
trophic structure, 192, 210
tropical lagoon, 231
tubificids, 192, 201
turbidity maximum, 217

Unciola dissimilis, 15
Urosalpinx cinerea, 15

Vallisneria americana, 57

Wakulla Beach, Florida, 143
water pollution, 255
water pollution control, 99
water quality management, 99
water transport, 184
Westport, Connecticut, 143
Wilmington, 99
Wreck Shoal, Virginia, 240

Yaquina Estuary, Oregon, 217
York River Estuary, Virginia, 45

Zostera capensis, 152, 160
Zostera marina, 180

Estuaries Vol. 11, No. 4, p. ii–iv December 1988

Table of Contents

NUMBER 1, MARCH 1988

TEAGUE, K. G., C. J. MADDEN AND J. W. DAY, JR. Sediment-water oxygen and nutrient fluxes in a river-dominated estuary 1

SPURRIER, J. D. AND B. KJERFVE. Estimating the net flux of nutrients between a salt marsh and a tidal creek 10

FRANZ, D. R. AND W. H. HARRIS. Seasonal and spatial variability in macrobenthos communities in Jamaica Bay, New York—An urban estuary 15

WENNER, E. L. AND H. R. BEATTY. Macrobenthic communities from wetland impoundments and adjacent open marsh habitats in South Carolina 29

FRIEDLAND, K. D. AND L. W. HAAS. Emigration of juvenile Atlantic menhaden, *Brevoortia tyrannus* (Pisces: Clupeidae), from the York River estuary 45

FLORES-VERDUGO, F. J., J. W. DAY, JR., L. MEE AND R. BRISEÑO-DUEÑAS. Phytoplankton production and seasonal biomass variation of seagrass, *Ruppia maritima* L., in a tropical Mexican lagoon with an ephemeral inlet 51

PERRY, M. C. AND F. M. UHLER. Food habits and distribution of wintering canvasbacks, *Aythya valisineria,* on Chesapeake Bay 57

SCHAFFNER, L. C. AND R. J. DIAZ. Distribution and abundance of overwintering blue crabs, *Callinectes sapidus,* in the lower Chesapeake Bay 68

Book Reviews

POLLUTION PHYSIOLOGY OF ESTUARINE ORGANISMS. Edited by W. B. Vernberg, A. Calabrese, F. P. Thurberg and F. J. Vernberg. Reviewed by A. E. McElroy 73

GROWTH AND DEVELOPMENT: ECOSYSTEMS PHENOMENOLOGY. R. E. Ulanowicz. Reviewed by S. Tennenbaum 73

EVOLUTIONARY BIOLOGY OF PRIMITIVE FISHES. Edited by R. E. Foreman, A. Gorbman, J. M. Dodd and R. Olsson. Reviewed by J. D. Felley 74

TEMPORAL DYNAMICS OF AN ESTUARY: SAN FRANCISCO BAY (DEVELOPMENTS IN HYDROBIOLOGY 30). Edited by J. E. Cloern and F. H. Nichols. Reviewed by C. H. Hobbs, III 75

A FIELD GUIDE TO COASTAL WETLAND PLANTS OF THE NORTHEASTERN UNITED STATES. R. W. Tiner, Jr. Reviewed by I. H. Stuckey 75

ECOLOGICAL STUDIES IN TROPICAL FISH COMMUNITIES. R. H. Lowe-McConnell. Reviewed by N. L. Chao 76

NUMBER 2, JUNE 1988

TAKACS, R. L., R. B. FORWARD, JR., AND W. KIRBY-SMITH. Effects of the herbicide alachlor on larval development of the mud crab, *Rhithropanopeus harrisii* (Gould) 79

ABLE, K. W., K. L. HECK, JR., M. P. FAHAY, AND C. T. ROMAN. Use of salt-marsh peat reefs by small juvenile lobsters on Cape Cod, Massachusetts 83

SONIAT, T. M., AND M. S. BRODY. Field validation of a habitat suitability index model for the American oyster 87

BROWN, C. J., W. W. ANDERSON, W. D. BURBANCK, AND C. T. HACKNEY. Genetic transition between northern and southern populations of the estuarine isopod, *Cyathura polita,* and the discovery of a new species of *Cyathura* 96

ALBERT, R. C. The historical context of water quality management for the Delaware Estuary 99

UNCLES, R. J., J. A. STEPHENS, AND T. Y. WOODROW. Seasonal cycling of estuarine sediment and contaminant transport 108

ZAJAC, R. N., AND R. B. WHITLATCH. Population ecology of the polychaete *Nephtys incisa* in Long Island Sound and the effects of disturbance 117

LUCKENBACH, M. W., D. V. HUGGETT, AND E. C. ZOBRIST. Sediment transport, biotic modifications and selection of grain size in a surface deposit-feeder 134

Book Reviews

ECOLOGY—POTENTIALS AND LIMITATIONS. T. Fenchel. Reviewed by I. Valiela 140

SHELLFISH AND SEAWEED HARVESTS OF PUGET SOUND. D. P. Cheney and T. F. Mumford, Jr. Reviewed by M. M. Harlin 141

THE FACTS ON FILE DICTIONARY OF GEOLOGY AND GEOPHYSICS. Edited by D. F. Lapidus. Reviewed by E. Uchupi 141

NUMBER 3, SEPTEMBER 1988

MCKEE, K. L. AND W. H. PATRICK, JR. The relationship of smooth cordgrass (*Spartina alterniflora*) to tidal datums: A review 143

WHITFIELD, A. K. The role of tides in redistributing macrodetrital aggregates within the Swartvlei estuary 152

WHITFIELD, A. K. The fish community of the Swartvlei estuary and the influence of food availability on resource utilization 160

WADE, T. L., E. L. ATLAS, J. M. BROOKS, M. C. KENNICUTT, II, R. G. FOX, J. SERICANO, B. GARCIA-ROMERO AND D. DEFREITAS. NOAA Gulf of Mexico status and trends program: Trace organic contaminant distribution in sediments and oysters 171

WIGAND, C. AND A. C. CHURCHILL. Laboratory studies on eelgrass seed and seedling predation 180

DENES, T. A. AND J. M. CAFFREY. Changes in seasonal water transport in a Louisiana estuary, Fourleague Bay, Louisiana 184

GASTON, G. R., D. L. LEE AND J. C. NASCI. Estuarine macrobenthos in Calcasieu Lake, Louisiana: Community and trophic structure 192

GASTON, G. R. AND J. C. NASCI. Trophic structure of macrobenthic communities in the Calcasieu estuary, Louisiana 201

Book Review

WILDLIFE 2000—MODELING HABITAT RELATIONSHIPS OF TERRESTRIAL VERTEBRATES. Edited by J. Verner, M. L. Morrison and C. J. Ralph. Reviewed by G. T. Auble 212

NUMBER 4, DECEMBER 1988

CALLAWAY, R. J., D. T. SPECHT AND G. R. DITSWORTH. Manganese and suspended matter in the Yaquina Estuary, Oregon 217

FLETCHER, M. Effects of electrolytes on attachment of aquatic bacteria to solid surfaces 226

BUCHANAN, B. A. AND A. W. STONER. Distributional patterns of blue crabs (*Callinectes* sp.) in a tropical estuarine lagoon 231

DeAlteris, J. T. The geomorphic development of Wreck Shoal, a subtidal oyster reef of the James River, Virginia 240

Ye, L. F. A typical estuary consisting of a tidal inlet and lagoon system and its engineering significance 250

Hale, R. C. Disposition of polycyclic aromatic compounds in blue crabs, *Callinectes sapidus,* from the southern Chesapeake Bay 255

Bierbaum, R. and S. E. Shumway. Filtration and oxygen consumption in mussels, *Mytilus edulis,* with and without pea crabs, *Pinnotheres maculatus* 264

Craft, C. B., S. W. Broome and E. D. Seneca. Nitrogen, phosphorus and organic carbon pools in natural and transplanted marsh soils 272

Luther, G. W., III, T. Ferdelman and E. Tsamakis. Evidence suggesting anaerobic oxidation of the bisulfide ion in Chesapeake Bay 281

Special Communication

Queen, W. H., B. J. Copeland and F. Perkins. Estuarine science: Involvement in public policy 286

Referees Used During 1987–88 288

Author Index, Volume 11 289

Subject Index, Volume 11 290